

Template and style changes v3 - v4



UNIVERSITY OF
CAMBRIDGE

Helen Varley Sargan
University Computing Service

Template changes

1. in all html files

```
<link rel="Shortcut Icon" href="http://www.cam.ac.uk/templates/favicon.ico">
```

replaced with

```
<link rel="Shortcut Icon" href="/favicon.ico">
```

2. in all html files comments added to name ends of divs

3. in /admissions/clinical the link to the research.css stylesheet has been fixed

Stylesheet changes

content.css

```
div#dept-title h2 {  
  background: 6699ff;  
}
```

corrected to

```
div#dept-title h2 {  
  background: #9c9;  
}
```

removed

```
p code {  
  font-size: 1em;  
  color: green;  
}
```

and added

```
.flash {background: #fc3;  
padding: 0 2px;  
}  
div#tint {  
background:#dfdfdf;  
padding:1em;  
width:80%;  
margin: 0.5em auto;  
}
```

in IMAGES section

added the following, to support positioning of images

```
img.centre {display:block; margin-left:auto; margin-right:auto;padding: 1em 0;
border:0; float:none;}
```

```
div#content-primary p img.inline, div#content-primary li img.inline {
float:none;
display:inline;
margin: 0 0 -0.2em 0;
padding: 0 0.2em;
border:1px solid #FFF;
}
```

```
div#content-primary p img.left {
float: left;
clear: left;
margin-left: 0;
margin-right: 20px;
margin-bottom: 0.5em;
}
```

for use with manually added news and feature lists (extra styles added):

```
div#content-secondary #feature h2, div#content-secondary #news h2 {
padding: 0;
margin: 0;
font-size: 1.1em;
font-weight: normal;
}
```

replaced with

```
div#content-secondary #feature h2, div#content-secondary #news h2 {
padding: 0;
margin: 0;
font-size: 1em;
font-weight: bold;
}
```

```
div#content-secondary #feature h3, div#content-secondary #news h3 {
padding: 0 0 0.2em 0;
margin: 0;
font-size: 0.9em;
font-weight: normal;
}
```

```
div#content-secondary #feature p, div#content-secondary #news p {
margin: 0 0 0.5em 0;
}
```

```
div#content-secondary #feature ul.bullet, div#content-secondary #news ul.bullet {
float: left;
padding: 0 0 0.5em 0;
margin: 0;
padding:0;
font-size: 0.7em;
list-style:disc inside;
```

```
display: inline;
overflow: hidden;
}
```

and

```
div#content-secondary #feature li a, div#content-secondary #news li a {text-decoration:none;}
```

replaced with

```
div#content-secondary #feature li a, div#content-secondary #news li a, div#content-secondary #feature a,
div#content-secondary #news a {text-decoration:none;}
```

in content secondary links section:

```
div#content-secondary dl.links {
border-top: 1px solid #e4eaea;
border-bottom: 1px solid #e4eaea;
float: left;
width: 100%;
}
```

replaced with

```
div#content-secondary dl.links {
border-top: 1px solid #e4eaea;
float: left;
width: 100%;
}
```

and

div#content-secondary dl.links dt, div#content-secondary dl.section dt and div#content-secondary dl.links dd
a:hover
gets background colour of #fff

and

div#content-secondary dl.links dd a
gets padding changed to

```
padding: 0.1em 20px 0.3em 47px;
```

in ALERT MESSAGES section:

div.alert
gets

```
min-height: 34px;
```

layout.css

```
/* =nav-primary sub-nav
```

```
----- */
```

add the following, to allow for styling in child navigation

```
/* Style for selected secondary nav link */
ul#nav-primary li.active ul li.active a,
ul#nav-primary li.active ul li.active a:hover,
ul#nav-primary li ul li.active a,
ul#nav-primary li ul li.active a:hover {
  background: url(../images/icon-arrow-nav-primary.gif) no-repeat 10px 5px;
  color: #c60;
  font-weight: bold;
}
```

in breadcrumb section:

```
ul#nav-breadcrumb li {
  float: left;
  padding: 0 6px 0 6px;
  background: url(../images/icon-arrow-nav-breadcrumb.gif) no-repeat 0 50%;
}
```

replaced with

```
ul#nav-breadcrumb li {
  float: left;
  padding: 0 6px 0 6px;
  background: url(../images/icon-arrow-nav-breadcrumb.gif) no-repeat 0 50%;
  white-space: nowrap;
}
```

typography.css

replaced

```
h4 {
  font-size: 0.75em;
  font-weight: bold;
}
```

with

```
h4 {
  font-size: 0.9em;
  font-weight: bold;
}
```

replaced

```
td ul, td ol, td p {
  font-size: 0.75em;
}
```

with

```
td ul, td ol, td p {
  font-size: 1em;
}
```

added

```
td table, td pre, dd pre, dd table {
  font-size: 100%;
}
```

at end of first block of styles

and

```
ul ul, ol ol {
  font-size: 100%;
  margin-top: 0.5em;
  margin-left: 1.25em;
}
```

replaced with

```
ul ul, ol ol, ol ul, ul ol, ul pre {
  font-size: 100%;
  margin-top: 0.4em;
  margin-bottom: 0.4em;
  margin-left: 1.25em;
}
```

```
/* =LINKS
----- */
```

```
a:link, a:focus, a:active {
  color: #003c79;
  text-decoration: underline;
}
```

```
/* added by DMR (Studio24) 24.01.08*/
a:visited {
  /*color: #990099;*/
  color: #003c79;
}
```

```
a:hover {
  text-decoration: underline;
  color: #003366;
}
```

replaced by

```
a:link, a:focus, a:active, a:visited {
  color: #003c79;
  text-decoration: underline;
}
```

```
a:active { outline: none; }
```

```
a:hover {
  text-decoration: underline;
  color: #003366;
}
```

```
outline: none;
}
```

in LISTS section

```
/*standard table */
```

```
table {margin: 0 0 1em 0;}

table th, table td {padding: 0.3em 0.4em 0.2em 0.4em;}

table th {font-weight:bold;}
```

added at the end of the page for styling vanilla tables

and

```
table.data {
width: auto;
margin: 0 0 1em 0;
border-top:1px solid #ddd;
border-left:1px solid #ddd;
width: 695px;
}
```

replaced with

```
table.data {
width: auto;
margin: 0 0 1em 0;
border-top:1px solid #ddd;
border-left:1px solid #ddd;
width: 100%;
}
```

in OTHER TEXT ELEMENTS section

```
blockquote {
background: #f8f4e9;
border:1px solid #ddd;
padding: 1em 1em 0.5em 1em;
font-style: italic;
font-size: 1em;
margin: 0 0 1em 0;
width: 90%;
position: relative;
}
```

replaced with

```
blockquote {
background: #fff;
padding: 0.5em 1em 0 1em;
font-size: 1em;
margin: 0 0 1em 0;
position: relative;
}
```

and

```
pre {
  background: #f8f4e9;
  border: 1px solid #ddd;
  padding: 1em;
  margin: 0 0 1em 0;
  font-family: Monaco, monospace;
  overflow: auto;
  max-width: 95%;
  min-height: 3em;
}
```

replaced with

```
pre {
  background: #fff;
  padding: 0.5em 1em 0 1em;
  margin: 0 0 1em 0;
  font-family: Monaco, monospace;
  overflow: auto;
}
```

and

```
code {
  font-family: Monaco, monospace;
}
```

replaced with

```
tt, code {
  font-family: 'Andale Mono', 'courier new', monospace;
  font-size: 1em;
  line-height: 1.125em;
}
```

and

```
table.data .alt {
  background: #F5F5F5;
}
```

replaced with

```
table.data .alt, table.data tr.tint {
  background: #F5F5F5;
}
```

layout.css

added

```
div#content-primary a:visited {
  color: #990000;
}
```

```
/* to take out link behaviour for anchors */
div#content-primary a[id]:hover {
  color: #333;
  text-decoration:none;
}
```

The following has been added to add a class that makes links in the 'content primary' area more noticeable (class="textlink"):

```
/*following three styles are to make links in text panel show up better*/
div#content-primary a:link.textlink {
text-decoration:none;
border-bottom: 1px #999 solid;}
```

```
div#content-primary a:hover.textlink {
text-decoration:none;
color: #cf5200;}
```

```
div#content-primary a:visited.textlink {
text-decoration:none;
border-bottom: 1px #999 solid;}
```

in setting two and three col layout section

```
/*this style has changed to tackle the ie rnav problem */
body.three-col div#content-primary {
width: 61.6%;
padding-right: 1em;
}
```

replaces

```
body.three-col div#content-primary {
width: 63.6%;
padding-right: 2%;
}
```

in nav-tabbed section

```
ul#nav-tabbed li a {
background: #06c
```

replaces

```
ul#nav-tabbed li a {
background: #81adb5
```

links.css

Four new styles added (icons added to images directory):

```
a.icon-left {
background: url(../images/icon-left.gif) no-repeat 0 0;
padding: 0 0 2px 2em;
}
a.icon-right {
background: url(../images/icon-right.gif) no-repeat 0 0;
padding: 0 0 2px 2em;
}
a.icon-next {
background: url(../images/next-arrow.gif) no-repeat 0 0;
padding: 0 0 2px 2em;
}
a.icon-print {
background: url(../images/icon-print.gif) no-repeat 0 0;
padding: 0 0 2px 2em;
```

```
}
```

print.css

Added:

```
div#content pre {overflow: visible;}
```

removed rogue } from before p.section

and

```
div#content div#content-primary img {
  display: block;
  margin-left: 3em;
  margin-bottom: 1em;
}
div#content div#content-primary p.img {
  float: right;
  margin-left: 3em;
  margin-bottom: 1em;
}
div#content div#content-primary img.inline {
  display: inline;
  margin-bottom: 0;
}
```

replaces

```
div#content img {
  float: right;
  margin-left: 3em;
  margin-bottom: 3em;
}
```

reset.css

```
/* remember to define focus styles! */
:focus {
  outline: 0;
}
```

replaced with proper defintion

```
:focus {
  outline: 1px dotted #999;
}
```

Additional colour palette styles added:

```
blue.css
blue-green.css
blue-white.css
green-navy.css
project.css
project-teal.css
purple.css
turq-blue.css
```